
GPC8[™]

Glutaraldehyde-based general-purpose disinfectant



- Can be applied as a foam, with foaming lance, for greater surface adherence and longer contact time. Better visibility of treated areas than conventional spraying.
- Prolonged residual activity

Effective against a wide range of organisms including the following:-

BACTERIA: Brachyspira hyodysenteriae, Bordetella bronchiseptica, Campylobacter jejuni, Corynebacterium pseudotuberculosis, Enterococcus faecalis, Escherichia coli, Haemophilus parasuis, Klebsiella pneumonia, Leptospira interrogans, Mycoplasma hyopneumoniae, Pasteurella multocida, Proteus vulgaris, Pseudomonas aeruginosa, Salmonella arizonae, Salmonella enteritidis, Salmonella gallinarum, Salmonella pullorum, Salmonella typhimurium, Staphylococcus aureus, Streptococcus suis. FUNGI: Candida albicans, Asperaillus brasiliensis (formerlv niger). VIRUSES: African Swine Fever, Aujesky's Disease, Avian adenovirus, Avian influenza, Foot and Mouth Disease Virus, Hepatitis B and C, HIV, Infectious Bronchitis, Infectious Bursal Disease, Infectious Laryngotracheitis, Marek's Disease Virus, Parvovirus, Porcine Circovirus, Porcine Influenza (H1N1), Porcine Reproductive and Respiratory Syndrome (PRRS), Porcine Rotavirus, Swine Fever, Newcastle Disease Paramyxovirus.

POULTRY HOUSE DISINFECTION:

Adjust dilution to suit soil level and/or disease specific history of the house — i.e. one part GPC8™ to between 50 and 190 parts of water. For foam application, use a dilution of 1:50 and apply with suitable foam applicator, at a rate of 80 sqm per minute. Remove portable equipment and clear the house of litter, manure and dust, including that clinging to beams and trusses. Power wash the area using a solution of Shift™ or Target™ Powergel. Disinfect all contact surfaces by spraying with the GPC8™ solution

After equipment has been re-installed, rest the house for as long as possible and, before re-stocking, consider aerial fogging as a further safeguard against infection.

FEED AND WATER CONTAINERS ETC:

Thoroughly scrub loose equipment and feed and water containers in a solution of Shift™ at a dilution of 1:250. If scale is present the articles may be soaked in a solution of GP Acid at a dilution of 1:20. The equipment is then disinfected by soaking in a solution of GPC8™ at a dilution of 1:190 for 30 minutes. Allow to dry in a clean place before re-installing.

DRINKING WATER SYSTEM:

Drain the system and flush with clean water. Fill the system with a solution of GPC8™ at a dilution of 1:190 and leave in contact for 30 minutes. Drain and rinse the system thoroughly with clean water until all traces of the disinfectant have been removed.

PRODUCT INFORMATION:

Ap

Od

pН

Sh

pearance:	Clear red liquid
lour:	Unperfumed
l - undiluted:	0.7
elf life:	3 years

QUALITY AND ENVIRONMENTAL ASSURANCE: This product is manufactured in the U.K. by EVANS VANODINE INTERNATIONAL PLC under an ISO 9001 Quality Management System Cert. No. FM 09535 and an ISO 14001 Environmental Management System Cert. No. EMS 506072 registered by the British Standards Institution.

REVISION DATE: 21/03/18



Scan here to view safety data information



f 🗶 in 🞯

