

SAFETY DATA SHEET Zoetis - VANODINE* FAM

1.1. Product identifier	
Product name	Zoetis - VANODINE* FAM
Product number	R068 PP
1.2. Relevant identified use	s of the substance or mixture and uses advised against
Identified uses	Disinfectant for materials and surfaces associated with the housing or transportation of animals.
1.3. Details of the supplier of	of the safety data sheet
Supplier	Evans Vanodine International plc Brierley Road Walton Summit Preston. UK. PR5 8AH Tel: 01772 322 200 e-mail: productcompliance@evansvanodine.co.uk
1.4. Emergency telephone	number
Emergency telephone	Safety Data Sheets & For Technical Advice about this SDS - 01772 318 818 - Mon to Thu 8.30am to 4.45pm - Fri 8.30am to 1.30pm
SECTION 2: Hazards identi	ification
2.1. Classification of the sul	
Classification (SI 2019 No. Physical hazards	Not Classified
Health hazards	Skin Corr. 1B - H314 Eye Dam. 1 - H318
Environmental hazards	Not Classified
2.2. Label elements	
Hazard pictograms	

Signal word	Danger
Hazard statements	H314 Causes severe skin burns and eye damage.

Precautionary statements	 P102 Keep out of reach of children. P260 Do not breathe mist. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315 Get immediate medical advice/ attention. P501 Dispose of contents/ container in accordance with local regulations.
Contains	PHOSPHORIC ACID, SULPHURIC ACID

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Including - Endocrine disrupting properties: None known.

3.2. Mixtures

ALCOHOL (C9-11) ETHOXYLATE (8EO)

CAS number: 68439-46-3

Alternative CAS Nos 160875-66-1, 68439-45-2

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318

PHOSPHORIC ACID

CAS number: 7664-38-2

EC number: 231-633-2

Spec Conc Limits :- Skin Corr. 1B (H314) ≥ 25%, Skin Irrit. 2 (H315) >10% <25%, Eye Irrit. 2 (H319) >10%

Classification

Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318

SULPHURIC ACID

CAS number: 7664-93-9

EC number: 231-639-5

5-10%

15-20%

10-15%

Spec Conc Limits :- Skin Corr. 1A (H314) ≥ 15 %, Skin Irrit.2 (H315) >5% <15 %, Eye Irrit. 2 (H319) >5%<15%

Classification

Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318

IODINE		1-3%
CAS number: 7553-56-2	EC number: 231-442-4	
M factor (Acute) = 1		
BPR +H410, M factor (Chron	ic) =1	
Classification		
Acute Tox. 4 - H312		
Acute Tox. 4 - H332		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
STOT SE 3 - H335		
Aquatic Acute 1 - H400		
The Full Text for all R-Phrase	s and Hazard Statements are Displayed in Section 16.	
SECTION 4: First aid measure	es	
4.1. Description of first aid me	asures	
Inhalation	Unlikely route of exposure as the product does not contain volatile substances. If spray/r	
	has been inhaled, proceed as follows. Move affected person to fresh air and keep warm	and

	at rest in a position comfortable for breathing.	·	
Ingestion	Do not induce vomiting. Rinse mouth thoroughly	with water. Give plenty of wa	iter to drink. Get
	medical attention immediately.		

- Skin contact Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.
- Eye contactRinse immediately with plenty of water. Remove any contact lenses and open eyelids wide
apart. Continue to rinse. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Irritation of nose, throat and airway.
Ingestion	May cause chemical burns in mouth and throat.
Skin contact	Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin.
Eye contact	Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Thermal decomposition or combustion products may include the following substances:
	Irritating gases or vapours.

5.3. Advice for firefighters

Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental release	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8.	
6.2. Environmental precaution	<u>s</u>	
Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.	
6.4. Reference to other sections		
Reference to other sections	For personal protection, see Section 8.	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe hand	ling	
Usage precautions	Wear protective clothing, gloves, eye and face protection.	
7.2. Conditions for safe storag	e, including any incompatibilities	
Storage precautions	Keep only in the original container in a cool, well-ventilated place. Store away from the following materials: Oxidising materials. & Alkalis.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
Usage description	See Product Information Sheet & Label for detailed use of this product.	
SECTION 8: Exposure control	s/Personal protection	
8.1. Control parameters Occupational exposure limits PHOSPHORIC ACID		

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³ Short-term exposure limit (15-minute): WEL 2 mg/m³


SULPHURIC ACID

Long-term exposure limit (8-hour TWA): WEL 0,05 mg/m³ Short-term exposure limit (15-minute): WEL

IODINE

Short-term exposure limit (15-minute): WEL 0.1 ppm 1.1 mg/m³ WEL = Workplace Exposure Limit.

8.2. Exposure controls





Appropriate engineering controls	This product must not be handled in a confined space without adequate ventilation.
Eye/face protection	The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Wear protective gloves. Polyvinyl chloride (PVC).
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Respiratory protection	Respiratory protection not required.
SECTION 9: Physical and che	mical properties
9.1. Information on basic phys	ical and chemical properties
Appearance	Liquid.
Colour	Clear. Dark brown.
Odour	Faint surfactant / Faint Iodine.
рН	pH (concentrated solution): 0
Melting point	-2°C
Initial boiling point and range	102°C @ mm Hg
Flash point	Boils without flashing.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	1.1705 @ 20°C
Solubility(ies)	Soluble in water.
Partition coefficient	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	Not available.
9.2. Other information	
Other information	None.
Particle size	Not applicable.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	Reacts with alkalis and generates heat.
10.2. Chemical stability	
Stability	No particular stability concerns.
10.3. Possibility of hazardous reactions	

Possibility of hazardous reactions	See sections 10.1,10.4 & 10.5
10.4. Conditions to avoid	
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
10.5. Incompatible materials	
Materials to avoid	Aluminium, Tin, Zinc and their alloys. Strong alkalis. Chlorine releasing materials will liberate toxic chlorine gas. Oxidising agents as lodine vapour may be evolved.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	When heated, vapours/gases hazardous to health may be formed.
SECTION 11: Toxicological int	formation
11.1. Information on toxicologi	cal effects
Toxicological effects	Figures quoted below were from ATE (Acute Toxicity Estimate) Calculation Methods using LD50 or ATE figures provided by the raw material manufacturer.
Acute toxicity - oral	
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	2,295.41
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
ATE dermal (mg/kg)	65,382.46
Acute toxicity - inhalation	
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
ATE inhalation (vapours mg/l)	504.71
Skin corrosion/irritation Skin corrosion/irritation	Causes severe burns.
Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye damage.
Respiratory sensitisation Summary	Not applicable.
Skin sensitisation Summary	Not applicable.
Germ cell mutagenicity Summary	Not applicable.
Carcinogenicity Summary	Not applicable.
Reproductive toxicity	
Summary	Not applicable.
Specific target organ toxicity -	
Summary	Not applicable.

Summary	Not applicable.
Aspiration hazard	
Summary	Not applicable.
General information	The "Not Applicable" assigned in this section is due to the fact that the Classification is done by the "Calculation Method" and not by animal testing so have no figures to quote in this section.
11.2 Information on other Hazards 11.2.1 Endocrine disrupting properties	None known.
SECTION 12: Ecological infor	mation
Ecotoxicity	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.
12.1. Toxicity	
Toxicity	No Aquatic Toxicity Data for this product. Any data for ingredients with aquatic toxicity provided by the raw material manufacturer can be made available on request.
12.2. Persistence and degrade	ability
Persistence and degradability	The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended). and UK Regulation: SI 2020 No. 1617 "The Detergents (Amendment) (EU Exit) Regulations 2020".
12.3. Bioaccumulative potentia	
Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
Partition coefficient	Not applicable.
12.4. Mobility in soil	
Mobility	Not known.
12.5. Results of PBT and vPv	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6 Endocrine disrupting properties	None known.
12.6. Other adverse effects	
Other adverse effects	Now section 12.7: None known.
SECTION 13: Disposal consid	erations
13.1. Waste treatment method	ls
Disposal methods	At the end of the treatment used solutions can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an on-site waste water treatment plant. Dispose unused product and the packaging in accordance with local and/or national
	requirements. Avoid release to an on-site waste-water treatment plant.

14.1. UN number

UN No. (ADR/RID)	3264	
UN No. (IMDG)	3264	
UN No. (ICAO)	3264	
14.2. UN proper shipping nam	e	
Proper shipping name (ADR/RID)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid & phosphoric acid solution)	
Proper shipping name (IMDG)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid & phosphoric acid solution)	
Proper shipping name (ICAO)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid & phosphoric acid solution)	
14.3. Transport hazard class(es)		
ADR/RID class	Class 8 : Corrosive Substances.	
ADR/RID label	8	
IMDG class	Class 8: Corrosive substances.	
ICAO class/division	Class 8: Corrosive substances.	
Transport labels		
14.4. Packing group		
ADR/RID packing group	II	
IMDG packing group	II	
ICAO packing group	II	
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant No.		
14.6. Special precautions for user		
EmS	F-A, S-B	
Tunnel restriction code	(E)	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not relevant. for a packaged product.	
SECTION 15: Regulatory information		

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	 Safety Data Sheet prepared in accordance with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends Regulation (EC) No 2015/830, 453/2010 & 1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.". The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.". Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.".
	Regulations of the Cabinet of Ministers No. 628 of 27 August 2013 "Requirements for Activities with Biocides". Cabinet Regulation No. 302 of 19 April 2011 "Regulations on the Classification of Waste and Properties that make Waste Dangerous". Cabinet of Ministers Regulation No. 325 of 15 May 2007 "Workplace Safety Contact with Chemical Workplaces". Regulations of the Cabinet of Ministers No. 795 of 22 December 2015 "Accounting and Database of Chemical Substances and Mixtures".

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

Abbreviations and acronyms used in the safety data sheet	 PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative. ATE: Acute Toxicity Estimate. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. IMDG: International Maritime Dangerous Goods. ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air. REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577. GHS: Globally Harmonized System. Spec Conc Limits = Specific Concentration Limits. LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).
Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Aquatic Acute = Hazardous to the aquatic environment (acute) Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation STOT SE = Specific target organ toxicity-single exposure
Key literature references and sources for data	Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory database.
Classification procedures according to SI 2019 No. 720	Calculation Method.

Revision comments	New Format Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 2020/878 (which amends Regulation (EC) No 453/2010 & 1907/2006) No change in Product Classification. (Changes made to sections 2,3,9,11,12,15+16)
Revision date	08/12/2022
Revision	12
SDS status	The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.
Hazard statements in full	 H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life.