



SAFETY DATA SHEET CRUSADER OXY DESTAINER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|-------------------------|--------------------------|
| Product name | CRUSADER OXY DESTAINER |
| Product number | C011 EV |
| Internal identification | Professional Hygiene |
| UFI | UFI: 5XY3-DNYS-K00U-NQ8U |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|-----------------|---|
| Identified uses | Hydrogen Peroxide based Bleaching Agent for Laundry Industry. |
|-----------------|---|

1.3. Details of the supplier of the safety data sheet

| | | |
|----------|--|-------------------------------|
| Supplier | UK Supplier: | EU Supplier: |
| | Evans Vanodine International plc | Evans Vanodine Europe |
| | Brierley Road, | 6-9 Trinity Street, Dublin 2. |
| | Walton Summit, | D02 EY47. |
| | Preston. UK. PR5 8AH | Republic of Ireland. |
| | Tel: 01772 322 200 | |
| | e-mail: productcompliance@evansvanodine.co.uk | |

1.4. Emergency telephone number

| | |
|-------------------------------------|---|
| Emergency telephone | New Safety Data Sheets - 01772 322 200 - Mon to Thur. 8.30am to 4.30pm - Fri 8.30am to 1.30pm (Also available 24/7 from our website www.evansvanodine.co.uk) For Technical Advice about this SDS - 01772 318 818 - Mon to Thur 8.30am to 4.45pm - Fri 8.30am to 1.30pm |
| National emergency telephone number | For Health Care Professionals only For use in UK: Contact the National Poisons Information Service for further advice. For use in the Republic of Ireland: To report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166). For use in Malta: Emergency services (Ambulance, Fire and Rescue, Police) : 112 |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification (SI 2019 No. 720)

| | |
|-----------------------|---|
| Physical hazards | Not Classified |
| Health hazards | Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 H335 |
| Environmental hazards | Not Classified |

2.2. Label elements

Hazard pictograms



CRUSADER OXY DESTAINER

| | |
|--------------------------|---|
| Signal word | Danger |
| Hazard statements | H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. |
| Precautionary statements | P102 Keep out of reach of children. P261 Avoid breathing vapour/ spray. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315 Get immediate medical advice/ attention. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/ container in accordance with local regulations. |
| Contains | HYDROGEN PEROXIDE SOLUTION |

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Including - Endocrine disrupting properties: None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| | |
|--|----------------------|
| HYDROGEN PEROXIDE SOLUTION | 30-40% |
| CAS number: 7722-84-1 | EC number: 231-765-0 |
| Spec Conc Limits :- Ox. Liq. 1 (H271) >=70%, Ox. Liq. 2 (H272) >=50% <70%, Skin Corr. 1A (H314) >=70%, Skin Corr. 1B (H314) >=50% <70%, Skin Irrit. 2 (H315) >=35% <50%, STOT SE 3 (H335) >=35%, Eye Dam. 1 (H318) >=8% <50%, Eye Irrit. 2 (H319) >=5% <8% | |
| Classification Ox. Liq. 1 - H271 Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Corr. 1A - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Chronic 3 - H412 | |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|--------------|---|
| Inhalation | Move affected person to fresh air at once. Keep affected person warm and at rest. Get medical attention immediately. |
| Ingestion | Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately. |
| Skin contact | Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing. |
| Eye contact | Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse. |

CRUSADER OXY DESTAINER

4.2. Most important symptoms and effects, both acute and delayed

| | |
|---------------------|---|
| General information | The severity of the symptoms described will vary dependent on the concentration and the length of exposure. |
| Inhalation | Irritation of nose, throat and airway. |
| Ingestion | May cause stomach pain or vomiting. |
| Skin contact | Skin irritation. Prolonged skin contact may cause redness and irritation. |
| Eye contact | May cause severe eye irritation. |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|----------------------|------------------------|
| Notes for the doctor | Treat symptomatically. |
|----------------------|------------------------|

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|------------------------------|---|
| Suitable extinguishing media | The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. |
|------------------------------|---|

5.2. Special hazards arising from the substance or mixture

| | |
|------------------|---|
| Specific hazards | Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. |
|------------------|---|

5.3. Advice for firefighters

| | |
|---|---|
| Special protective equipment for firefighters | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate for protective clothing. |
|---|---|

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|----------------------|---|
| Personal precautions | Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8. Avoid inhalation of vapours. |
|----------------------|---|

6.2. Environmental precautions

| | |
|---------------------------|---|
| Environmental precautions | Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. |
|---------------------------|---|

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|--|
| Methods for cleaning up | Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely. |
|-------------------------|--|

6.4. Reference to other sections

| | |
|-----------------------------|---|
| Reference to other sections | For personal protection, see Section 8. |
|-----------------------------|---|

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-------------------|---|
| Usage precautions | Wear protective clothing, gloves, eye and face protection. Avoid inhalation of vapours. |
|-------------------|---|

7.2. Conditions for safe storage, including any incompatibilities

| | |
|---------------------|---|
| Storage precautions | Store in tightly-closed, original container in a dry, cool and well-ventilated place. Protect from light. Store away from the following materials: Common metals. |
|---------------------|---|

7.3. Specific end use(s)

| | |
|---------------------|---|
| Specific end use(s) | The identified uses for this product are detailed in Section 1.2. |
| Usage description | See Product Information Sheet & Label for detailed use of this product. |

CRUSADER OXY DESTAINER

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters Occupational exposure limits

HYDROGEN PEROXIDE SOLUTION

Long-term exposure limit (8-hour TWA): WEL 1 ppm 1,4 mg/m³

Short-term exposure limit (15-minute): WEL 2 ppm 2,8 mg/m³

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment



| | |
|----------------------------------|---|
| Appropriate engineering controls | Not relevant. |
| Eye/face protection | Wear eye protection. |
| Hand protection | Wear protective gloves. (Household rubber gloves.) |
| Other skin and body protection | Wear appropriate clothing to prevent any possibility of skin contact. |
| Respiratory protection | Respiratory protection not required. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|----------------------------------|
| Appearance | Liquid. |
| Colour | Clear. Colourless. |
| Odour | Odourless. |
| pH | pH (concentrated solution): 2.00 |
| Melting point | -40°C |
| Initial boiling point and range | 110°C @ 760 mm Hg |
| Flash point | Boils without flashing. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or explosive limits | Not applicable. |
| Vapour pressure | Not available. |
| Vapour density | Not available. |
| Relative density | 1.150 @ 20°C |
| Solubility(ies) | Soluble in water. |
| Partition coefficient | Not applicable. |
| Auto-ignition temperature | Not applicable. |
| Decomposition Temperature | Not applicable. |
| Viscosity | Not available. |

9.2. Other information

| | |
|-------------------|-----------------|
| Other information | None. |
| Particle size | Not applicable. |

CRUSADER OXY DESTAINER

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity The following materials may react strongly with the product: Alkaline earth metals. Powdered metal.

10.2. Chemical stability

Stability Inadequately vented containers may become pressurised.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions See sections 10.1,10.4 & 10.5

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight. Avoid Storage above 30°C

10.5. Incompatible materials

Materials to avoid Alkalis, acids, metal salts and reducing agents. Powdered metal. Flammable/combustible materials.

10.6. Hazardous decomposition products

Hazardous decomposition products Decomposes slowly to release oxygen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects We have not carried out any animal testing, therefore we have no Toxicological Data specifically for this product. The Toxicological Data, where provided by the raw material manufacturer, can be made available on request.

Acute toxicity - oral

Notes (oral LD₅₀) Classification criteria has been met – Product is classified as Harmful if Swallowed.

ATE oral (mg/kg) 860.0

Acute toxicity - dermal

Summary Not applicable.

Acute toxicity - inhalation

Summary Not applicable.

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Respiratory sensitisation

Summary Not applicable.

Skin sensitisation

Summary Not applicable.

Germ cell mutagenicity

Summary Not applicable.

Carcinogenicity

CRUSADER OXY DESTAINER

Summary Not applicable.

Reproductive toxicity

Summary Not applicable.

Specific target organ toxicity - single exposure

STOT - single exposure May cause respiratory irritation.

Target organs Respiratory system, lungs

Specific target organ toxicity - repeated exposure

Summary Not applicable.

Aspiration hazard

Summary Not applicable.

11.2. Information on other Hazards None known.

11.2.1. Endocrine disrupting properties None known.

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.

12.2. Persistence and degradability

Persistence and degradability This product, at use dilutions, is readily broken down in biological effluent treatment plants.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient Not applicable.

12.4. Mobility in soil

Mobility Not known.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Endocrine disrupting properties None known.

12.7. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.

CRUSADER OXY DESTAINER

SECTION 14: Transport information

Air transport notes Forbidden for Air Transport

14.1. UN number

UN No. (ADR/RID) 2014

UN No. (IMDG) 2014

UN No. (ICAO) 2014

14.2. UN proper shipping name

Proper shipping name (ADR/RID) HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Proper shipping name (IMDG) HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Proper shipping name (ICAO) HYDROGEN PEROXIDE, AQUEOUS SOLUTION

14.3. Transport hazard class(es)

ADR/RID class Division 5.1: Oxidising substances.

ADR/RID subsidiary risk Class 8: Corrosive substances.

ADR/RID label 5.1 & 8


IMDG class Division 5.1: Oxidising substances.

IMDG subsidiary risk Class 8: Corrosive substances.

ICAO class/division Division 5.1: Oxidising substances.

ICAO subsidiary risk Class 8: Corrosive substances.

Transport labels



14.4. Packing group

ADR/RID packing group II

IMDG packing group II

ICAO packing group II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

EmS F-H, S-Q

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant. for a packaged product.

CRUSADER OXY DESTAINER

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| | |
|----------------|---|
| EU legislation | <p>Safety Data Sheet prepared in accordance with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends Regulation (EC) No 2015/830, 453/2010 & 1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.".</p> <p>The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.".</p> <p>Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.".</p> |
|----------------|---|

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

| | |
|--|--|
| Abbreviations and acronyms used in the safety data sheet | <p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>vPvB: Very Persistent and Very Bioaccumulative.</p> <p>ATE: Acute Toxicity Estimate.</p> <p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</p> <p>IMDG: International Maritime Dangerous Goods.</p> <p>ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.</p> <p>REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577.</p> <p>GHS: Globally Harmonized System.</p> <p>Spec Conc Limits = Specific Concentration Limits.</p> |
| Classification abbreviations and acronyms | <p>Acute Tox. = Acute toxicity</p> <p>Eye Dam. = Serious eye damage</p> <p>Ox. Liq. = Oxidising liquid</p> <p>Skin Corr. = Skin corrosion</p> <p>Skin Irrit. = Skin irritation</p> <p>STOT SE = Specific target organ toxicity-single exposure</p> |
| Key literature references and sources for data | <p>Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory database.</p> |
| Classification procedures according to SI 2019 No. 720 | <p>Calculation Method.</p> |
| Revision comments | <p>New Formulation – Change in Product Classification. (Changes made to sections 2,11+16)</p> |
| Revision date | <p>22/12/2023</p> |
| Revision | <p>10</p> |
| SDS status | <p>The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.</p> |

CRUSADER OXY DESTAINER

Hazard statements in full

H271 May cause fire or explosion; strong oxidiser.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.