

## SAFETY DATA SHEET FLORAZOL FREESIA

SECTION 1: Identification of t	he substance/mixture and of the company/underta	aking	
1.1. Product identifier			
Product name	FLORAZOL FREESIA		
Product number	A067 EV		
Internal identification	Professional Hygiene		
UFI	UFI: 3VQE-T1YX-GG07-MVH4		
1.2. Relevant identified uses of	of the substance or mixture and uses advised agai	nst	
Identified uses	Concentrated deodoriser.		
1.3. Details of the supplier of	the safety data sheet		
Supplier	UK Supplier: Evans Vanodine International plc Brierley Road, Walton Summit, Preston. UK. PR5 8AH Tel: 01772 322 200 e-mail: productcompliance@evansvanodine.co.	EU Supplier: Evans Vanodine Europe 6-9 Trinity Street, Dublin 2. D02 EY47. Republic of Ireland. uk	
1.4. Emergency telephone nu	1.4. Emergency telephone number		
Emergency telephone	New Safety Data Sheets - 01772 322 200 - Mon to Thur. 8.30am to 4.30pm - Fri 8.30am to 1.30pm (Also available 24/7 from our website www.evansvanodine.co.uk) For Technical Advice about this SDS - 01772 318 818 - Mon to Thur 8.30am to 4.45pm - Fri 8.30am to 1.30pm		
National emergency telephon number	<ul> <li>For Health Care Professionals only -</li> <li>For use in UK: Contact the National Poisons Information Service for further advice.</li> <li>For use in the Republic of Ireland: To report a poisoning incident contact The National</li> <li>Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166).</li> <li>For use in Malta: Emergency services (Ambulance, Fire and Rescue, Police) : 112</li> </ul>		
SECTION 2: Hazards identific	ation		
2.1. Classification of the subs	tance or mixture		
Classification (SI 2019 No. 72			
Physical hazards	Flam. Liq. 2 - H225		
Health hazards	Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dar	n. 1 - H318 Skin Sens. 1 - H317	
Environmental hazards	Aquatic Chronic 3 - H412		
2.2. Label elements			
Hazard pictograms			

Signal word	Danger
Hazard statements	H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	<ul> <li>P102 Keep out of reach of children.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P270 Do not eat, drink or smoke when using this product.</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P233 Keep container tightly closed.</li> <li>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P302+P352 IF ON SKIN: Wash with plenty of water.</li> <li>P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P315 Get immediate medical advice/ attention.</li> <li>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</li> <li>P403+P235 Store in a well-ventilated place. Keep cool.</li> <li>P501 Dispose of contents/ container in accordance with local regulations.</li> </ul>
Contains	ALCOHOL (C9-11) ETHOXYLATE (8EO), METHANOL, ALKYL (C12-16) DIMETHYL BENZYL AMMONIUM CHLORIDE, ISOEUGENOL

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Including - Endocrine disrupting properties: None known.

3.2. Mixtures	
ETHANOL	30-60%
CAS number: 64-17-5	EC number: 200-578-6
<b>Classification</b> Flam. Liq. 2 - H225 Eye Irrit. 2 - H319	
PROPAN-2-OL	10-15%
CAS number: 67-63-0	EC number: 200-661-7
<b>Classification</b> Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336	

ALCOHOL (C9-11) ETHOXYLATE (	BEO)	1-3%
CAS number: 68439-46-3		
Alternative CAS Nos 160875-66-1, 6	8439-45-2	
Classification		
Acute Tox. 4 - H302		
Eye Dam. 1 - H318		
METHANOL		1-3%
CAS number: 67-56-1	EC number: 200-659-6	1-576
Spec Conc Limits :- STOT SE 1 (H3	70) >=10%, STOT SE 2 (H371) >3% <10%	
Classification		
Flam. Liq. 2 - H225		
Acute Tox. 3 - H301 Acute Tox. 3 - H311		
Acute Tox. 3 - H311 Acute Tox. 3 - H331		
STOT SE 1 - H370		
ALKYL (C12-16) DIMETHYL BENZY	'L AMMONIUM	1-3%
CHLORIDE		
CAS number: 68424-85-1	EC number: 270-325-2	
M factor (Acute) = 10	M factor (Chronic) = 1	
Classification		
Acute Tox. 4 - H302		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
4-TERTIARY-BUTYLCYCLOHEXYL	ACETATE	0.1-1%
CAS number: 32210-23-4	EC number: 250-954-9	
Classification		
Classification Skin Sens. 1B - H317		
Amyl Cinnamal		0.1-1%
CAS number: 122-40-7	EC number: 204-541-5	
Classification		
Skin Sens. 1 - H317		
Aquatic Chronic 2 - H411		

LINALOOL	0.1-1%
CAS number: 78-70-6	EC number: 201-134-4
<b>Classification</b> Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
Skin Sens. 1B - H317	
ISOEUGENOL	0.1-1%
CAS number: 97-54-1	EC number: 202-590-7
Spec Conc Limits :- Skin Se	ens. 1; H317 ≥ 0.01%, EUH208 ≥ 0.001%
Classification	
Acute Tox. 4 - H302	
Acute Tox. 4 - H312	
Acute Tox. 4 - H332 Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
Skin Sens. 1A - H317	
STOT SE 3 - H335	
Geraniol	<0.1%
CAS number: 106-24-1	EC number: 203-377-1
Classification	
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
The Full Text for all R-Phras	es and Hazard Statements are Displayed in Section 16.
SECTION 4: First aid measu	ires
4.1. Description of first aid m	neasures
Inhalation	If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Do not induce vomiting. Give plenty of water to drink. Get medical attention immediately.
Skin contact	Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention immediately.
4.2. Most important sympton	ns and effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	May cause stomach pain or vomiting.
Skin contact	Causes skin irritation. Prolonged and frequent contact may cause redness and irritation.

Eye contact	Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	Treat symptomatically.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	Extinguish with the following media: Extinguish with foam, carbon dioxide, dry powder or water fog.	
5.2. Special hazards arising fr	om the substance or mixture	
Specific hazards	Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours. May explode when heated or when exposed to flames or sparks.	
5.3. Advice for firefighters		
Special protective equipment for firefighters	Keep containers cool by spraying with water to reduce explosion risks. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental release	se measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Wear protective clothing, gloves, eye and face protection. No smoking, sparks, flames or other sources of ignition near spillage. For personal protection, see Section 8.	
6.2. Environmental precaution	<u>s</u>	
Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.	
6.4. Reference to other section	ns	
Reference to other sections	For personal protection, see Section 8.	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe hand	lling	
Usage precautions	Eliminate all sources of ignition. For handling undiluted product: Wear protective clothing, gloves, eye and face protection.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage precautions	Keep away from heat, sparks and open flame.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
Usage description	See Product Information Sheet & Label for detailed use of this product.	
SECTION 8: Exposure control	ls/Personal protection	
8.1. Control parameters Occupational exposure limits ETHANOL		

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL

#### PROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m<sup>3</sup>

#### METHANOL

Long-term exposure limit (8-hour TWA): WEL 200 ppm 266 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 250 ppm 333 mg/m<sup>3</sup> Sk

WEL = Workplace Exposure Limit. Sk = Can be absorbed through skin.

#### 8.2. Exposure controls

Protective equipment

Appropriate engineering controls	Not relevant.
Eye/face protection	Wear eye protection.
Hand protection	Wear protective gloves. (Household rubber gloves.)
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Respiratory protection	Respiratory protection not required.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Clear. Yellow.
Odour	Floral.
рН	Not applicable.
Melting point	-5°C
Initial boiling point and range	80°C @ 760 mm Hg
Flash point	20°C . Measured using test method, Pensky-Martens closed cup.
Flammability (solid, gas)	Highly flammable liquid and vapour.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	0.860 @ 20°C
Solubility(ies)	Forms an emulsion with water.
Partition coefficient	Not applicable.

Not available.
Not applicable.
Not available.
None.
Not applicable.
ctivity
There are no known reactivity hazards associated with this product.
No particular stability concerns.
reactions
See sections 10.1,10.4 & 10.5
Avoid heat, flames and other sources of ignition.
No specific material or group of materials is likely to react with the product to produce a hazardous situation.
n products
No known hazardous decomposition products.
formation
· · ·
ormation
cal effects         We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate)
cal effects         We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.
cal effects         We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.
cal effects         We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.         Contains low levels of a sensitiser, repeated skin contact may produce an allergic reaction.
cal effects         We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.         Contains low levels of a sensitiser, repeated skin contact may produce an allergic reaction.         Classification criteria has been met – Product is classified as Harmful if Swallowed.
formation         cal effects         We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.         Contains low levels of a sensitiser, repeated skin contact may produce an allergic reaction.         Classification criteria has been met – Product is classified as Harmful if Swallowed.         1,773.18
cormation         cal effects         We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.         Contains low levels of a sensitiser, repeated skin contact may produce an allergic reaction.         Classification criteria has been met – Product is classified as Harmful if Swallowed.         1,773.18         Based on available data the classification criteria are not met.         8,134.15
cormation         cal effects         We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.         Contains low levels of a sensitiser, repeated skin contact may produce an allergic reaction.         Classification criteria has been met – Product is classified as Harmful if Swallowed.         1,773.18         Based on available data the classification criteria are not met.

Skin corrosion/irritation Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye damage.	
Respiratory sensitisation Summary	Not applicable.	
Skin sensitisation Skin sensitisation	May cause an allergic skin reaction.	
Germ cell mutagenicity Summary	Not applicable.	
Carcinogenicity Summary	Not applicable.	
Reproductive toxicity Summary	Not applicable.	
Specific target organ toxicity -		
Summary	Not applicable.	
Specific target organ toxicity -		
Summary	Not applicable.	
Aspiration hazard		
Summary	Not applicable.	
11.2 Information on other Hazards 11.2.1 Endocrine disrupting properties	None known.	
SECTION 12: Ecological inform	mation	
Ecotoxicity	Harmful to aquatic life with long lasting effects.	
12.1. Toxicity		
Toxicity	We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.	
12.2. Persistence and degradability		
Persistence and degradability	The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended). and UK Regulation: SI 2020 No. 1617 "The Detergents (Amendment) (EU Exit) Regulations 2020".	
12.3. Bioaccumulative potentia	al	
Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.	
Partition coefficient	Not applicable.	
12.4. Mobility in soil		
¥		
Mobility	Not known.	
Mobility 12.5. Results of PBT and vPvE		

Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6 Endocrine disrupting properties	None known.	
12.6. Other adverse effects		
Other adverse effects	Now section 12.7: None known.	
SECTION 13: Disposal consid	erations	
13.1. Waste treatment methods		
Disposal methods	Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal by approved waste contractor. Rinse out empty container with water and consign to normal waste.	
SECTION 14: Transport inform	nation	
General	1L As supplied, this product is consigned under the Limited Quantities provisions.	
14.1. UN number		
UN No. (ADR/RID)	1987	
UN No. (IMDG)	1987	
UN No. (ICAO)	1987	
14.2. UN proper shipping name	8	
Proper shipping name (ADR/RID)	ALCOHOLS, N.O.S. (ethanol solution & isopropanol)	
Proper shipping name (IMDG)	ALCOHOLS, N.O.S. (ethanol solution & isopropanol)	
Proper shipping name (ICAO)	ALCOHOLS, N.O.S. (ethanol solution & isopropanol)	
14.3. Transport hazard class(e	<u>us)</u>	
ADR/RID class	Class 3: Flammable liquids.	
ADR/RID label	3	
IMDG class	Class 3: Flammable liquids.	
ICAO class/division	Class 3: Flammable liquids.	
Transport labels		
14.4. Packing group		
ADR/RID packing group	II	
IMDG packing group	II	
ICAO packing group	II	
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant		

Environmentally hazardous substance/marine pollutant No.

#### 14.6. Special precautions for user

EmS	F-E, S-D

Tunnel restriction code (D/E)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not relevant. for a packaged product.

Annex II of MARPOL 73/78 and the IBC Code

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Safety Data Sheet prepared in accordance with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends Regulation (EC) No 2015/830, 453/2010 & 1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020".
	The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.".
	Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.".

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

#### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<ul> <li>PBT: Persistent, Bioaccumulative and Toxic substance.</li> <li>vPvB: Very Persistent and Very Bioaccumulative.</li> <li>ATE: Acute Toxicity Estimate.</li> <li>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</li> <li>IMDG: International Maritime Dangerous Goods.</li> <li>ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.</li> <li>REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577.</li> <li>GHS: Globally Harmonized System.</li> <li>Spec Conc Limits = Specific Concentration Limits.</li> </ul>
Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Asp. Tox. = Aspiration hazard Aquatic Acute = Hazardous to the aquatic environment (acute) Aquatic Chronic = Hazardous to the aquatic environment (chronic) Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Flam. Liq. = Flammable liquid Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation Skin Sens. = Skin sensitisation STOT SE = Specific target organ toxicity-single exposure

Key literature references and sources for data	Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory database.
Classification procedures according to SI 2019 No. 720	Calculation Method.
Revision comments	Change to description used in section 1.2 (Changes made to sections 1+16)
Revision date	14/02/2023
Revision	14
SDS status	The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.
Hazard statements in full	<ul> <li>H225 Highly flammable liquid and vapour.</li> <li>H301 Toxic if swallowed.</li> <li>H302 Harmful if swallowed.</li> <li>H311 Toxic in contact with skin.</li> <li>H312 Harmful in contact with skin.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H318 Causes serious eye damage.</li> <li>H319 Causes serious eye irritation.</li> <li>H331 Toxic if inhaled.</li> <li>H332 Harmful if inhaled.</li> <li>H335 May cause respiratory irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> <li>H370 Causes damage to organs .</li> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> <li>H412 Harmful to aquatic life with long lasting effects.</li> </ul>