

SAFETY DATA SHEET TARGET

		l de a
SECTION 1: Identification of t	he substance/mixture and of the company/underta	aking
1.1. Product identifier		
Product name	TARGET	
Product number	A039 EV	
Internal identification	Professional Hygiene	
UFI	UFI: 0GNE-N1NT-WG0E-3MAQ	
1.2. Relevant identified uses of	of the substance or mixture and uses advised agai	nst
Identified uses	Alkaline Foam pressure washer cleaner for Food Industry.	
1.3. Details of the supplier of t	he safety data sheet	
Supplier	UK Supplier: Evans Vanodine International plc Brierley Road, Walton Summit, Preston. UK. PR5 8AH Tel: 01772 322 200 e-mail: productcompliance@evansvanodine.co.	EU Supplier: Evans Vanodine Europe 6-9 Trinity Street, Dublin 2. D02 EY47. Republic of Ireland.
1.4. Emergency telephone nu	mber	
Emergency telephone	New Safety Data Sheets - 01772 322 200 - Mon to Thur. 8.30am to 4.30pm - Fri 8.30am to 1.30pm (Also available 24/7 from our website www.evansvanodine.co.uk) For Technical Advice about this SDS - 01772 318 818 - Mon to Thur 8.30am to 4.45pm - Fri 8.30am to 1.30pm	
National emergency telephone number	 For Health Care Professionals only - For use in UK: Contact the National Poisons Information Service for further advice. For use in the Republic of Ireland: To report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166). For use in Malta: Emergency services (Ambulance, Fire and Rescue, Police) : 112 	
SECTION 2: Hazards identification		
2.1. Classification of the substance or mixture		
Classification (SI 2019 No. 720)		
Physical hazards	Not Classified	
Health hazards	Skin Corr. 1B - H314 Eye Dam. 1 - H318	
Environmental hazards	Not Classified	
2.2. Label elements		

2.2. Label elements

Hazard pictograms

Signal word	Danger
Hazard statements	H314 Causes severe skin burns and eye damage.
Precautionary statements	 P102 Keep out of reach of children. P260 Do not breathe mist. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315 Get immediate medical advice/ attention. P501 Dispose of contents/ container in accordance with local regulations.
Contains	SODIUM METASILICATE, SODIUM HYDROXIDE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SODIUM DODECYL BENZENE S	SULPHONATE	3-5%
CAS number: 68411-30-3	EC number: 270-115-0	
Classification		
Acute Tox, 4 - H302		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Aquatic Chronic 3 - H412		
SODIUM METASILICATE		3-5%
CAS number: —		
Classification		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
2-BUTOXYETHANOL		3-5%
CAS number: 111-76-2	EC number: 203-905-0	
Classification		
Acute Tox. 4 - H302		
Acute Tox. 4 - H312		
Acute Tox. 4 - H332		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		

SODIUM CUMENE SULPH	IONATE 3-5%
CAS number: 15763-76-5	EC number: 239-854-6
Classification	
Eye Irrit. 2 - H319	
SODIUM HYDROXIDE	0.1-1%
CAS number: 1310-73-2	EC number: 215-185-5
Spec Conc Limits :- Skin Co Irrit. 2 (H319) >=0.5% <2%	orr. 1A (H314) >= 5 %, Skin Corr. 1B (H314) >=2% <5 %, Skin Irrit. 2 (H315) >=0.5%<2%, Eye
Classification	
Met. Corr. 1 - H290	
Skin Corr. 1A - H314	
Eye Dam. 1 - H318	
The Full Text for all R-Phrase	es and Hazard Statements are Displayed in Section 16.
SECTION 4: First aid measu	res
4.1. Description of first aid m	leasures
Inhalation	Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Do not induce vomiting. Give plenty of water to drink. Get medical attention immediately.
Skin contact	Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Get medical attention immediately. Continue to rinse.
4.2. Most important symptom	ns and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Irritation of nose, throat and airway.
Ingestion	May cause chemical burns in mouth and throat.
Skin contact	Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin.
Eye contact	Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards

Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours.

5.3. Advice for firefighters

Special protective equipmentWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective
clothing.

SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning upSmall Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and
absorb spillage with sand, earth or other non-combustible material. Collect and place in
suitable waste disposal containers and seal securely.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective clothing, gloves, eye and face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautionsKeep only in the original container in a cool, well-ventilated place. Store away from the
following materials: Oxidising materials. Acids.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description See Product Information Sheet & Label for detailed use of this product.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

2-BUTOXYETHANOL

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m³ Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m³ Sk

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³ WEL = Workplace Exposure Limit. Sk = Can be absorbed through skin.

8.2. Exposure controls

Protective equipment



Revision: 10

TARGET

Appropriate engineering controls	Not relevant.
Eye/face protection	The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Wear protective gloves. (Household rubber gloves.)
Other skin and body	Wear appropriate clothing to prevent any possibility of skin contact.
protection	
Respiratory protection	Respiratory protection not required.
SECTION 9: Physical and che	emical properties
9.1. Information on basic phys	ical and chemical properties
Appearance	Liquid.
Colour	Clear. Pale Straw.
Odour	Faint Solvent.
рН	pH (concentrated solution): 13.45
Melting point	-2°C
Initial boiling point and range	102°C @ 760 mm Hg
Flash point	Boils without flashing.
Relative density	1.084 @ 20°C
Solubility(ies)	Soluble in water.
9.2. Other information	
Other information	None.
Other information SECTION 10: Stability and rea	
SECTION 10: Stability and rea	
SECTION 10: Stability and rea 10.1. Reactivity	activity
SECTION 10: Stability and rea 10.1. Reactivity Reactivity	activity
SECTION 10: Stability and rea 10.1. Reactivity Reactivity 10.2. Chemical stability	Activity Reactions with the following materials may generate heat: Strong acids. No particular stability concerns.
SECTION 10: Stability and rea 10.1. Reactivity Reactivity 10.2. Chemical stability Stability	Activity Reactions with the following materials may generate heat: Strong acids. No particular stability concerns.
SECTION 10: Stability and reading 10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous	Activity Reactions with the following materials may generate heat: Strong acids. No particular stability concerns. reactions
SECTION 10: Stability and real 10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions	Activity Reactions with the following materials may generate heat: Strong acids. No particular stability concerns. reactions
SECTION 10: Stability and real 10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid	Activity Reactions with the following materials may generate heat: Strong acids. No particular stability concerns. Feactions See sections 10.1,10.4 & 10.5
SECTION 10: Stability and reading 10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid Conditions to avoid	Activity Reactions with the following materials may generate heat: Strong acids. No particular stability concerns. Feactions See sections 10.1,10.4 & 10.5
SECTION 10: Stability and reading10.1. ReactivityReactivity10.2. Chemical stabilityStability10.3. Possibility of hazardousPossibility of hazardousreactions10.4. Conditions to avoidConditions to avoid10.5. Incompatible materials	Activity Reactions with the following materials may generate heat: Strong acids. No particular stability concerns. Feactions See sections 10.1,10.4 & 10.5 There are no known conditions that are likely to result in a hazardous situation. Strong acids. Aluminium, Tin, Zinc and their alloys.
SECTION 10: Stability and real10.1. ReactivityReactivity10.2. Chemical stabilityStability10.3. Possibility of hazardousPossibility of hazardousreactions10.4. Conditions to avoidConditions to avoid10.5. Incompatible materialsMaterials to avoid	Activity Reactions with the following materials may generate heat: Strong acids. No particular stability concerns. Feactions See sections 10.1,10.4 & 10.5 There are no known conditions that are likely to result in a hazardous situation. Strong acids. Aluminium, Tin, Zinc and their alloys.
SECTION 10: Stability and reading 10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous Possibility of hazardous 10.4. Conditions to avoid Conditions to avoid 10.5. Incompatible materials Materials to avoid 10.6. Hazardous decomposition	Activity Reactions with the following materials may generate heat: Strong acids. No particular stability concerns. Feactions See sections 10.1,10.4 & 10.5 There are no known conditions that are likely to result in a hazardous situation. Strong acids. Aluminium, Tin, Zinc and their alloys. on products No known hazardous decomposition products.

Toxicological effects	We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.
Acute toxicity - oral	
Notes (oral LD ₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	14,391.37
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
ATE dermal (mg/kg)	27,312.72
Acute toxicity - inhalation	
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
ATE inhalation (vapours mg/l)	275.58
Specific target organ toxicity -	repeated exposure
Summary	Not applicable.
11.2 Information on other	None known.
Hazards 11.2.1 Endocrine	
disrupting properties	
SECTION 12: Ecological infor	mation
Ecotoxicity	Not regarded as dangerous for the environment.
12.1. Toxicity	
Toxicity	We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data
	specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.
12.2 Demistence and degrad	
12.2. Persistence and degrada	
	Sequestrant is readily degraded during biological effluent treatment processes.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
12.4. Mobility in soil	
Mobility	Not known.
12.5. Results of PBT and vPvI	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6 Endocrine disrupting	None known.
properties	
12.6. Other adverse effects	
Other adverse effects	Not known.
SECTION 13: Disposal consid	erations
13.1 Waste treatment method	

13.1. Waste treatment methods

Disposal methods	Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal by approved waste contractor. Rinse out empty container with water and consign to normal waste.
SECTION 14: Transport inform	ation
14.1. UN number	
UN No. (ADR/RID)	3266
UN No. (IMDG)	3266
UN No. (ICAO)	3266
14.2. UN proper shipping name	3
Proper shipping name (ADR/RID)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate)
Proper shipping name (IMDG)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate)
Proper shipping name (ICAO)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate)
14.3. Transport hazard class(e	<u>s)</u>
ADR/RID class	Class 8: Corrosive substance.
ADR/RID label	8
IMDG class	Class 8: Corrosive substances.
ICAO class/division	Class 8: Corrosive substances.
Transport labels	
B B	
14.4. Packing group	
ADR/RID packing group	П
IMDG packing group	П
ICAO packing group	П
14.5. Environmental hazards	
Environmentally hazardous su No.	bstance/marine pollutant
14.6. Special precautions for u	ser
EmS	F-A, S-B
Tunnel restriction code	(E)
14.7. Transport in bulk accordi	ng to Annex II of MARPOL and the IBC Code
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not relevant. for a packaged product.
SECTION 15: Regulatory infor	mation

EU legislationSafety Data Sheet prepared in accordance with EU Regulation: "REACH Commission
Regulation (EU) No 2020/878 (which amends Regulation (EC) No 2015/830, 453/2010 &
1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU
Exit) Regulations 2020".
The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008
classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No.
1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained
Use) (Amendment etc.) (EU Exit) Regulations 2020.".Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No
1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI
2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms
(Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.".

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	 PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative. ATE: Acute Toxicity Estimate. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. IMDG: International Maritime Dangerous Goods. ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air. REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577. GHS: Globally Harmonized System. Spec Conc Limits = Specific Concentration Limits.
Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Aquatic Acute = Hazardous to the aquatic environment (acute) Aquatic Chronic = Hazardous to the aquatic environment (chronic) Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Met. Corr. = Corrosive to metals Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation
Key literature references and sources for data	Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory database.
Classification procedures according to SI 2019 No. 720	Calculation Method.
Revision comments	New Format Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 2020/878 (which amends Regulation (EC) No 453/2010 & 1907/2006) No change in Product Classification. (Changes made to sections 2,3,9,11,12,15+16)
Revision date	10/12/2022
Revision	10
SDS status	The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.

Hazard statements in full	H290 May be corrosive to metals.
	H302 Harmful if swallowed.
	H312 Harmful in contact with skin.
	H314 Causes severe skin burns and eye damage.
	H315 Causes skin irritation.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H332 Harmful if inhaled.
	H412 Harmful to aquatic life with long lasting effects.